


PART NO.	ID MARK	LEAD TIDE DOWN
01		NIL
02		NO.1 ONLY
03		NO.14 ONLY




DETAIL-A

NOTES :

1. PLATING THICKNESS TO BE PER CUSTOMER'S SPECIFICATION.
2. SEAL AREA TO BE METALLIZED.
3. DIE ATTACH AREA TO BE METALLIZED.
4. LEAD RESISTANCE : 0.35 OHM MAX.

SB0281368-3	S=0 D=14
SB0281368-2	S=0 D=1
SB0281368-1	S=0 D=0

MODIFICATION						NAME	TOLERANCE	DRAWN	CHECKED	APPROVED	DATE
						28 LEAD SIDE BRAZED PACKAGE	UNLESS OTHERWISE SPECIFIED	S.F	T.C	K.M	SEP.05.'78
						SCALE 4/1	±.005				
						MATERIAL AS INDICATED	THIRD ANGLE PROJECTION				
	REDRAWN	JUN.23.'92	S.F	T.C/T.A	K.M		KYOCERA CORPORATION KYOTO JAPAN	DRAWING NO.		SHEET	
	CHANGED	DATE	DRAWN	CHECKED	APPROVED			KD-78368-E	1/2		



MODIFICATION						NAME 28 LEAD SIDE BRAZED PACKAGE	TOLERANCE UNLESS OTHERWISE SPECIFIED	DRAWN S.F	CHECKED T.C T.A	APPROVED K.M	DATE SEP.05.'78
						SCALE 10 / 1	MATERIAL				
							THIRD ANGLE PROJECTION				
	REDRAWN		JUN.24.'92	S.F	T.C/TA	K.M					
	CHANGED		DATE	DRAWN	CHECKED	APPROVED		KYOCERA CORPORATION KYOTO JAPAN		DRAWING NO. KD-78368-E	SHEET 2/2